

深圳市安宝信息技术有限公司

SHENZHEN UMBO COMMUNICATION TECHNOLOGY CO., LTD.



Address: 6F, TianXia building; Yiyuan Road; MaJiaLong industrial area; Nanshan District, Shenzhen, P.R.C. 518052

Website: <http://www.cctv-umbo.com/index.php> Email: info@cctv-umbo.com

CCTV Cameras Pricelist



Main DSP and CCD we adapt: **SONY** **SHARP** **PIXIM** **nextchip** **LG**

Please note :The Catalog don't include all of our models ,just the hot sells ,if you have any special quotation kindly let me know.

Model	Image	DSP and CCD	Lux	TVL	Remarks
-------	-------	-------------	-----	-----	---------

Waterproof Day&Night IR CCD camera

IR distance 100-80M

UM-319FHQ		Color Sony 1/3"	0LUX	520TVL	8pcs big IR LEDs+ 12pcs IR LED, 6-60mm motoried lens, IR visible range: 100m .Silver Color
UM-319FHX				500TVL	
UM-319F				420TVL	
UM-309F-27x				with 27x zoom module	
UM-319BHQ		Color Sony 1/3"	0LUX	520TVL	12pcs high power IR LED, AC220V, 25mm Manual IR lens, IR visible range: 80m. Voilet/Silver Color
UM-319BHX				500TVL	
UM-319B				420TVL	


IR distance 60- 50M

UM-317CHQ		Color Sony 1/3"	0LUX	520TVL	60pcs of special IR LEDS <Φ8 lampwick,Φ5 crown> ,25mm Manual IR lens ,IR visible range: 60m ,IP66, With Bracket ,Cinerous Color	
UM-317CHX				500TVL		
UM-317C				420TVL		
UM-316SHQ		Color Sony 1/3"	0LUX	520TVL	36pcs <Φ8> IR LED<>, DC 12V, 16mm lens, IR visible range: 50m	
UM-316SHX				500TVL		
UM-316S				420TVL		
★ UM-V316S				460TVL		Double filter Technology
UM-317AHQ		Color Sony 1/3"	0LUX	520TVL	30pcs Φ8 IR LEDs, AV 220V/110V , Built-in fan, 16mm IR lens, IR visible range: 50m ,white color	
UM-317AHX				500TVL		
UM-317A				420TVL		
UM-317BHQ		Color Sony 1/3"	0LUX	520TVL	30pcs Φ8 IR LED, DC 12V, Without fan, 16mm IR lens, IR visible range: 50m ,White Color	
UM-317BHX				500TVL		
UM-317B		Color Sony 1/4"		420TVL		
UM-307B						
UM-397B						Color Sharp 1/3"
UM-387B						
UM-316DHQ		Color Sony 1/3"	0LUX	520TVL	36pcs Φ8 IR LED, DC 12V, 4-9 mm lens, IR visible range: 50m ,with Bracket ,Silver Color	
UM-316DHX				500TVL		
UM-316D				420TVL		


IR distance 40M-30M

UM-318BHQ		Color Sony 1/3"	0LUX	520TVL	48pcs Φ5 IR LED, DC 12V,4-9 mm lens, IR visible range: 40m ,Silver/Black Color
UM-318BHX				500TVL	
UM-318B				420TVL	
UM-811DHQ		Color Sony 1/3"	0LUX	520TVL	54pcs Φ5 IR LED, DC 12V, 6mm lens, IR visible range: 40m,Voilet Color
UM-811DHX				500TVL	
UM-811D				420TVL	
UM-811FHQ		Color Sony 1/3"	0Lux	520TVL	54pcs Φ5 IR LED, DC 12V,6mm IR lens, IR visible range: 40m , Voilet/Siver/Black
UM-811FHX		500TVL			
UM-811F		420TVL			
UM-801F		Color Sony1/4"			
UM-891F		Color Sharp 1/3"			
UM-881F	Color Charp 1/4"				
UM-811GHQ		Color Sony 1/3"	0LUX	520TVL	54pcs Φ5 IR LED, 6mm IR lens, IR visible range: 40m ,with Bracket ,Black/Siver Color
UM-811GHX		500TVL			
UM-811G		420TVL			
UM-801G		Color Sharp 1/4"			
UM-891G		Color Sharp 1/3"			
UM-881G	Color Sony1/4"				
UM-811AHQ		Color Sony 1/3"	0LUX	520TVL	36pcs Φ5 IR LED, DC 12V, 6mm IR lens, IR visible range: 30m ,Silver Color
UM-811AHX		500TVL			
UM-811A		420TVL			
UM-801A		Color Sony 1/4"			
UM-891A		Color Sharp 1/3"			
UM-881A	Color Sharp 1/4"				
UM-Z811TH		Color 1/3" Sony	0LUX	480TVL	Sony CCD+Sony DSP, 36 Φ5 pcs IR LED, DC 12V, 6 mm lens, IR visible range: 30m,with bracket, Voilet /Silver housing ,UMBO unique technology


IR distance 20M-25M

UM-818DHQ		Color Sony 1/3"	0LUX	520TVL	24pcs Φ5 IR LED, DC 12V, 6mm IR lens, IR visible range: 25m ,Voilet/Silver Color
UM-818DHX				500TVL	
UM-818D				420TVL	
UM-808D				Color Sony 1/4"	
UM-898D				Color Sharp 1/3"	
UM-888D	Color Sharp 1/4"				


IR distance 10M-15M

UM-813C		Color Sony 1/3"	0LUX	420TVL	12pcs Φ5 IR LED, DC 12V, 3.6mm IR lens, IR visible range: 15m, Silver Color
UM-803C		Color Sony 1/4"			
UM-893C		Color Sharp 1/3"			
UM-883C		Color Sharp 1/4"			




For Car License Plate Catcher

UM-316BQHQ		Color Sony 1/3"	0LUX	520TVL	35pcs $\phi 8$ IR LED, DC 12V, 16mm lens, IR visible range: 50m. For catching car license plate ,Voilet Color
UM-316BQHX				500TVL	
UM-316BQ				420TVL	

Double CCD Camera


UM-316C		Color /B&W Sony 1/3"	0LUX	420TVL	Dual CCD(color&B/W), 16mm lens
UM-316CHXL		Color /B&W Sony 1/3"		500TVL	20pcs $\phi 8$ +25pcs $\phi 5$ LED,Dual CCD(color&B/W), 16mm lens , super low illumination ,Silver Color

Nextchip Program



UM-817D-9		Color Sony 1/3"	0LUX	540TVL	NVP2020 DSP, Multi language OSD, 36pcs $\phi 8$ IR LED, DC 12V, 4-9 mm lens, IR visible range: 50m, Silver housing
UM-817D-1				420TVL	
UM-811T-9		Color Sony 1/3"	0LUX	540TVL	NVP2010 DSP, 36 $\phi 5$ pcs IR LED, DC 12V, 6 mm lens, IR visible range: 30m, Voilet housing
UM-811T-1				420TVL	
UM-813M-9		Color Sony 1/3"	0LUX	540TVL	NVP2010 DSP, 23pcs $\phi 5$ IR LED, DC 12V, 6 mm lens, IR visible range: 25m, White housing
UM-813M-1				420TVL	

Body camera series<not include lens>


IR BOX Camera

UM-219HQ		Color Sony 1/3"	0LX	520TVL	33PCS $\phi 5$ IR leds , IR Distance 30M ,CS mound ,double driver
UM-219HX				500TVL	
UM-Z219H				480TVL	
UM-219				420TVL	

Zomm camera

UM-388H		Color Sony 1/4"	0.5LUX	480TVL	27x Optical Zoom, total 27x Zoom, with power down memory function, RS485 interface, fast and stable focusing, version 4.0<3.9-88.5>
UM-388				420TVL	
UM-399H		Color Sony 1/4" Low Illumination	0.5LUX	480TVL	27x Optical Zoom, 10x Digital Zoom, total 270x Zoom<3.25-88.5>
UM-399			0.8LUX	420TVL	





"WDR" "Eclipse" "Sense -up" CCD camera

UM-218CH		Color Sony 1/2"	0.001LUX	540TVL	1/2" SONY CCD, OSD, Eclipse function, Privacy Zones
UM-215CHL		Color Sony 1/3"	0.001LUX	540TVL	<HITACHI>OSD, DNR, Super Low Light
UM-207CH		Color Sony 1/3" Super WDR CCD	0.1LUX	540TVL	Sony SS3 program ,OSD ,WDR
UM-265CH		1/3"DPS	0.8LUX	540TVL	Pixim DPS Sensor, OSD, WDR

Box Standard Camera

UM-219GHQ 		Color Sony 1/3"	0.5LUX	520TVL	DC/Video ,Double driver	
UM-219GHX			0.5LUX	500TVL		
UM-219G			0.8LUX	420TVL		
UM-286EH	 nextchip	Color 1/3" Sony	0.5Lux	540TVL	NVP2010 ,don't include OSD	
UM-276EH				540TVL	NVP2020 DSP, Multi language OSD,	
UM-216BHQ		Color Sony 1/3"	0.5LUX	520TVL	DC/Video Double driver	
UM-216BHX			0.5LUX	500TVL		
UM-216B			0.8LUX	420TVL		
UM-213BHQ		Color Sony 1/3	0.5LUX	520TVL	DC/Video Double driver	
UM-213BHX			0.5LUX	500TVL		
UM-213B	 <small>um-213</small>	Color Sony 1/4"	1.0LUX	420TVL	Single driver	
UM-203B					DC/Video Double driver	
UM-293B					Single driver	
UM-283B					Single driver	
UM-212HQ		Color Sony 1/3	0.8LUX	520TVL	DC/Video Double Driver	
UM-212HX				500TVL		
UM-212				420TVL		Double Driver,better image at night
UM-212DR						Single driver
UM-202						Double driver
UM-292						Single driver
UM-282				Color Sharp 1/4"		1.0LUX
UM-112	B&W Sony 1/3"	0.03LUX	480TVL	High resolution		
UM-112H			600TVL			
UM-112L			480TVL		Low Illumination	
UM-152			B&W LG 1/3"		0.03LUX	
UM-200		Color 1/4" Sony	0.01Lux	420TVL	Day & Night	

IP camera


UM-IP032HQ		Color Sony 1/3"	0.5LUX	520TVL	H.264 ,MAX support D1 
UM-IP032HX				500TVL	
UM-IP032				420TVL	
UM-I312BHQ 		Color Sony 1/3'	0LUX	520TVL	IR IP CAMERA ,H.264 ,MAX support D1 , 36pcs of Φ8 IR LED , IR distance 50M , IP66
UM-I312BHX				500TVL	
UM-I312B				420TVL	


Dome CCD camera

IR dome ccd camera


UM-619FRHQ		Color Sony 1/3"	0LUX	520TVL	Metal Shell,vandaproof , 4-9MM manual varifocal Iris lens , 21pcs of Φ5 IR leds, IR distance 30M , white color ,IP66
UM-619FRHX				500TVL	
UM-619FR				420TVL	
UM-819ASH		Color Sony 1/3"	0LUX	520TVL	Vandaproof ,4-9mm manual lens, 36pcs Φ5 IR LED, IR visible range: 30m, Focus and Zoom can be adjusted from outer, housing color: Voilet / Black / White / Silver
UM-819AX				500TVL	
UM-819A				420TVL	
UM-819E		Color Sony 1/3"	0LUX	420TVL	Vandaproof, 6mm lens, 36pcs IR LED, IR visible range:25m ,Voilet / Black /Silver
UM-809E		Color Sony 1/4"			
UM-889E		Color Sharp 1/4"			
UM-819RHQ		Color Sony 1/3"	0LUX	520TVL	Vandal proof, 6mm lens, 23pcs IR LED, IR visible range:20m, housing color: Voilet / Black / White / Silver
UM-819RHX		Color Sony 1/4"		500TVL	
UM-819R				420TVL	
UM-809R					
UM-899R				Color Sharp 1/3"	
UM-889R		Color Sharp 1/4"			
UM-811RHQ		Color Sony 1/3"	0LUX	520TVL	18pcs small IR LED, DC 12V, 6mm IR lens, IR visible range: 20m , Black/white Color
UM-811RHX		Color Sony 1/4"		500TVL	
UM-811R				420TVL	
UM-801R					
UM-891R				Color Sharp 1/3"	
UM-881R		Color Sharp 1/4"			
UM-811RSM		Color Sony 1/3"	0.5LUX	540TVL	With OSD Menu , nextchip
UM-811RSHQ		Color Sony 1/3"		520TVL	
UM-811SRHX				500TVL	
UM-811SR		Color Sony 1/4"	0.8LUX	420TVL	22pcs small IR LED, DC 12V, 6mm IR lens, IR visible range: 20m , white Color
UM-801SR			1.0LUX		
UM-891SR					
UM-881SR					
UM-815RHQ		Color Sony 1/3"	0LUX	520TVL	22pcs small IR LED, DC 12V, 6mm IR lens, IR visible range: 20m, White housing
UM-815RHX		Color Sony 1/4"		500TVL	
UM-815R				420TVL	
UM-805R					
UM-895R				Color Sharp 1/3"	
UM-885R		Color Sharp 1/4"			

Vandaproof dome ccd camera <without red LED >

UM-619B		Color Sony 1/3"	0.8LUX	420TVL	Vandal proof, 3.6mm board lens,Violet/Silver/Black Color
UM-609B		Color Sony 1/4"	1.0LUX		
UM-699B		Color Sharp 1/3"			
UM-689B		Color Sharp 1/4"			

UM-619FHQ		Color 1/3" Sony	0.5Lux	520TVL	Vandal proof , 4-9MM lens ,IP66, White Color
UM-619FHX				500TVL	
UM-619F				420TVL	

3-Axis dome camera


UM-611SM		Color Sony 1/3"	0.5LUX	540TVL	OSD nextchip 3-Axis , 4-9MM IRIS , white Color
UM-611SHQ				520TVL	
UM-611SHX				500TVL	
UM-611S				420TVL	

Ather dome ccd camera





UM-612CHQ		Color Sony 1/3"	0.5LUX	520TVL	3.6mm , white/Black Color		
UM-612CHX				500TVL			
UM-612C				420TVL			
UM-602C						Color Sony 1/4"	1.0LUX
UM-692C						Color Sharp 1/3"	0.8LUX
UM-682C	Color Sharp 1/4"	1.0LUX					
UM-611BHQ		Color Sony 1/3"	0.5LUX	520TVL	3.6mm , Black/white Color		
UM-611BHX				500TVL			
UM-611B				420TVL			
UM-601B						Color Sony 1/4"	1.0LUX
UM-691B						Color Sharp 1/3"	0.8LUX
UM-681B	Color Sharp 1/4"	1.0LUX					
UM-610DHQ		Color Sony 1/3"	0.5LUX	520TVL	CS+Double driver , not include lens ,Black/white Color		
UM-610DHX				500TVL			
UM-610D				420TVL			

Covert ccd camera

UM-615YHX		Color Sony 1/3"	0.5LUX	520TVL	3.6mm lens	
UM-615YHX				500TVL		
UM-615Y				0.8LUX		420TVL
UM-605Y				Color Sony 1/4"		
UM-695Y				Color Sharp 1/3"		
UM-685Y	Color Sharp 1/4"					
UM-615FHQ		Color Sony 1/3"	0.5LUX	520TVL	3.6mm lens	
UM-615FHX				500TVL		
UM-615F				0.8LUX		420TVL
UM-605F				Color Sony 1/4"		
UM-695F				Color Sharp 1/3"		
UM-685F				Color Sharp 1/4"		
UM-613F4HQ		Color Sony 1/3"	0.5LUX	520TVL	3.6mm lens	
UM-613F4HX				500TVL		
UM-613F4				0.8LUX		420TVL
UM-603F4				Color Sony 1/4"		
UM-683F4				Color Sharp 1/3"		
UM-693F4				Color Sharp 1/4"		

UM-615EIRHQ		Color Sony 1/3"	0LUX	520TVL	f=3.7mm pinhole lens. 15pcs LED
UM-615EIRHX				500TVL	
UM-615EIR		Color Sony 1/4"		420TVL	
UM-605EIR		Color Sony 1/4"			
UM-695EIR		Color Sharp 1/3"			
UM-685EIR		Color Sharp 1/4"			

Mini ccd camera

UM-315		Color Sony 1/3"	0.8LUX	420TVL	3.6MM lems With sun shield ,without bracket, Black or silver color
UM-385					
UM-385Z		Color Sharp 1/4"	1.0LUX		3.7mm Pinhole lens , without bracket
UM-M881MHQ		Color Sony 1/3"	0.8LUX	520TVL	3.7mm Pinhole lens
UM-M811MHX				500TVL	
UM-M811M		Color Sony 1/4"	1.0LUX	420TVL	
UM-M801M					
UM-M891M					
UM-M881M					
UM-M880Z		Color Sharp 1/4"	1.0LUX	420TVL	Pinehole lens, 28*28mm,With Audio

Remarks:

- 1) Above quotation is EXW Shenzhen;
- 2) Delivery Date:around within 7 days after receipt of the payment;
- 3) Mini-Order-Quantity:50-500pcs for each modle;
- 4) Terms of payment:T/T in advance
- 5) Above quotation don't contain adaptor and the bracket; lens.
- 6>Valid time : Till 15th, April, 2011